



# Multikwik<sup>®</sup>

Distributed by: **TetraFlow<sup>®</sup>**

Tel: +65 6 896 7568

Fax: +65 6 8967578

info@tetraflow.com

www.tetraflow.com



...40 Years of Experience

### Flexibility

An important element of design in every Multikwik connector.

### Preparation

All genuine connectors are provided with a sachet of paraffin lubricant to ease the installation.

### Adaptability

All Multikwik connectors are multi depth to adapt to different soil pipes

FLEXIBILITY



ADAPTABILITY



### How to choose the Correct Connector

#### Did you know...

The Plumbers favourite choice is the **MKS1**, know as a "Number 1". This Pan connector is for Old Style pans only, and if fitted on a New pan it may leak. If you are installing a new pan always ask for **MKS2**.



## Straight Connectors Size Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MKS1	108-114	99-105
MKS2	97-108	99-105
MKS3	108-114	88-92
MKS4	97-108	99-105
MKS5	76-95	99-105
MKS7	97-108	88-92
MKS8	76-95	99-105
MKS1A	108-114	99-105
MKLA1	97-108	99-105

Please note all guide sizes are in mm.

## Straight: Standard Connectors

Used when the soil pipe and WC pan spigot are aligned.



CODE:  
MKS1  
MKS2

CODE: MKS3 & MKS5

## Straight: Long Adjustable Connectors

To be used with 'S' trap pans in **'wet room'** environments.



CODE:  
MKLA1

## Straight: Long Connectors

Used when the soil pipe and WC pan spigot are aligned.



CODE:  
MKS4  
MKS8

Straight Connector to  
Cast Iron CODE: MKS7

## Straight: Siphonic Connectors

To be used on Siphonic BS 1213 S&P trap WC pan spigots.



CODE:  
MKS1A

## Offset Connectors Size Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MK01	108-114	99-105
MK02	97-108	99-105
MK03	108-114	88-92
MK04	97-108	99-105
MK05	76-95	99-105
MK07	97-108	88-92
MK0100	97-108	99-105
MKB45	97-108	99-105

Please note all guide sizes are in mm.

## 18mm Offset Connectors

Used when the soil pipe and  
WC pan spigot are misaligned.



CODE:  
MK01

CODE: MK02, MK03,  
MK05 & MK07

18mm Offset Connector Oversized  
CODE: MK01S

## 40mm Offset Connectors

Used when the soil pipe and  
WC pan spigot are misaligned.



CODE:  
MK04

## 100mm Offset Connectors

Used when the soil pipe and  
WC pan spigot are misaligned.



CODE:  
MK0100

## 45° Bend Pan Connector

Connects BS 5503/4 pan to  
any UK standard 99-105mm  
soil pipe.



CODE:  
MKB45

## Pan Connectors Size Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MKB114	97-108	99-105
MKB114S	97-108	105-108
MKB21104	97-108	99-105
MKB21104S	97-108	105-108
MKB514	76-95	99-105
MKB614	76-95	88-92
MKB714	97-108	88-92
MKBAR90	97-108	99-105

Please note all guide sizes are in mm.

## 104° Bend Pan Connector

Used to connect a WC pan spigot with a 14° fall into a soil pipe situated at ground level.



CODE:  
MKB21104

CODE: MKB21104S



CODE:  
MKBAR90

## 14° Bend Pan Connector

Used to connect a horizontal WC pan spigot to a single stack branch.



CODE:  
MKB114

CODE: MKB114S,  
MKB514, MKB614  
& MKB714

## Adjustable Pan Connector

Used when installing a close coupled toilet into existing pipework or when space is limited.

Adjustable – Can be cut to suit.

## Bend Size Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MKB21	108-114	99-105
MKB2190	97-108	99-105
MKB2190S	97-108	105-108
MKB21S	108-114	105-108
MKB22	108-114	99-105
MKB2590	76-95	99-105
MKB3190	97-108	99-105

Please note all guide sizes are in mm.

### Flexible Connectors



**Multikwik Connectors and fin material are designed to be flexible to allow a simple watertight seal, even if the pipe is not true.**

## Tight Knuckle Bend

Used where there is limited space between an old BS 1213 WC pan spigot and soil pipe.



CODE: MKB21,  
MKB21S & MKB22

## 90° Bend

Used where the difference between the WC pan spigot and soil pipe is 90° in either direction.



CODE:  
MKB2190  
MKB3190

CODE: MKB2190S &  
MKB2590

**Multikwik Pan Connectors – the plumbers favourite choice.**



## Multikwik - Quality In-Built

*British Standard states that a solid ball of 80mm must pass through pipework unaided. All Multikwik Pan Connectors including those with boss upstands meet this requirement, reducing the risk of blockage and expensive remedial costs.*

**Can you afford not to install a Multikwik?**



## 90° Boss Connector

90° Connector that will accept vented pipe work.



CODE: MKBB2190 &  
MKBB3190

*Note: MKBB3190 has an extended tail.*

## Straight Connector with Boss



CODE:  
MKSB4

## WC Extension Connector



Used either as an extension for a Multikwik connector or as an adaptor for non standard sized soil pipes.



CODE:  
MKEA

CODE: MKEB & MKEG

## Connector Size Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MKBB2190	97-108	99-105
MKBB3190	97-108	99-105
MKF330	97-108	99-105
MKEA		99-105
MKEB		88-92
MKEG		74-77
MKSB4	97-108	99-105

Please note all guide sizes are in mm.

## WC Flexi Hose Connector

Flexible connector for use in extremely difficult situations.



CODE:  
MKF330

## Flush Pipe Connector

Connects outside diameter 38mm flush pipe to low level or BTW WC pan.



CODE:  
MKFPC1

**Multilink**  
Unique fitting which sleeves the fins of all 99-105mm outlet



Multikwik pan connectors to enable connection to be made to the inlet of another.



CODE:  
MKL1

In cases where it is difficult to know which connector is needed for an installation the Multilink can "get you out of trouble" – another innovative plumbing solution.



## Multiclik Connector Guide

CODE	Pan Spigot O/D	Pipe Size I/D
MKC2	97-108	99-105
MKC2B	97-108	99-105*

## A Quick to Install High Quality Connector

### One Piece Moulding

- Unlike Competitors - No Integral joints
- Cannot be pulled apart

### The Benefits of Multikwik connectors...

- Flexible ends for excellent joint quality
- Robust and reliable integral soil sealing fins
- High Quality Multikwik seals
- Extends from 225mm to 550mm

### Quality

- Tough yet lightweight product
- Superior quality hose
- Retains its position whatever shape is required



\* Coming Soon